Index for Volume 32 (1983)

COMPILED BY TROY L. BEST

Ablabesmyia, 353
Acridotheres tristis, 231
Acyrthosiphon pisum, 428
Additional comments on Fitch and Smith's conjecture for minimal length trees, F. R. McMorris and D. A. Neumann, 278
Aedes, 146, 147, 151–155
Agelaius phoeniceus, 224
Ailuropoda melanoleuca, 33
Allendorf, Fred W., see Leary, Robb F., –
Allotypes, more on, Hobart M. Smith, 454–455
Allozymes, 43–51, 52–71, 109–124
Amphignathodon, 75
Analysis,
  biometric, 377–388
  cluster, 144–158
  Fourier, 377–388
  multivariate, 377–388
  phylogenetic, 43–51, 109–124, 132–143, 159–184, 185–201, 248–258, 259–275, 279–282, 283–285
  phenetic, 125–131, 144–158, 159–184, 185–201, 248–258, 259–275, 315–342
  transformation series, 43–51, 109–124
  Wagner, 109–124, 144–158, 159–184, 185–201, 259–275
Andersen, N. Moller, The semiaquatic bugs (Hemiptera, Gerromorpha) phylogeny, adaptations, biogeography and classification (rev.), 471–473
Andrena, 424–426, 428
  accepta, 420, 421, 423, 427
  argemonis, 427
  confederata, 419, 423
  denticulata, 419, 423
  marginata, 418
  perplexa, 419, 423
Andrenidae, 417–430
Anoplarchus purpurescens, 52–71
Anoura, 280
Anthophora, 418, 428
Apis, 420, 423, 424
  mellifera, 424
Apoidea, 417–430
Archer, Michael (ed.), Carnivorous marsupials (rev.), 463–465
Arctostaphylos, 225
Augochlora pura, 418
Austrobrillia, 354

Baker, R. J., B. F. Koop, and M. W. Haiduk, Resolving systematic relationships with G-bands: A study of five genera of South American cricetine rodents, 403–416
Balaeniceps rex, 127
Balearica, 127
Ball, Ian R., On groups, existence and the ordering of nature, 446–451
Bats,
  glossophagine, 283–285
  New World nectar-feeding, 279–282
Bees, 417–430
Bembix, 423, 424
Betula occidentalis, 225
Biochemical variation in the frog *Eleutherodactylus bransfordii*: Geographic patterns and cryptic species, Michael M. Miyamoto, 43–51
Biogeography, 132–143, 431–438
  methods, 389–402
Biometric analysis, 377–388
Bookstein et al., 202–206
Bookstein, Fred L., Comment on a "nonequilibrium" approach to evolution, 291–300
Brachyphylla, 282
Brillia, 354
Brooks, Daniel R., see Wiley, E. O., and –
Brothers, Denis J., Nomenclature at the ordinal and higher levels, 34–42
Buchonomyia, 353, 354
Butterfly nomenclature, stability, and the rule of obligatory categories, Paul R. Ehrlich and Dennis D. Murphy, 451–453

Calliopsis, 419, 424, 426, 428
  andreniformis, 418, 420, 421, 423
  pectidis, 420, 421, 423, 427
  rozeni, 420, 421, 423, 427
Callophrys affinis, 452
Caminalcules, 159–184, 185–201, 248–258, 259–275
Canalization model, 403–416
Canalized evolutionary potential: Inconsistencies in phylogenetic reasoning, the, Ole A. Sæther, 343–359
Can baptism alone save a species?, David B. Kitts, 27–33
Cane, James H., Preliminary chemosystematics of the Andrenidae and exocrine lipid evolution of the short-tongued bees (Hymenoptera: Apoidea), 417–430
Cardiocladius, 355
Castanopsis sempervirens, 225
Catostomus, 145, 147, 152, 154, 155
C-bands, 403–416
Ceanothus, 225
Cercocebus
  galeriatus, 208
  torquatus, 208
Cercopithecus aethiops, 208

Character transformations in phenetic studies using continuous morphometric variables, D. Scott Wood, 125–131
Charles Darwin, gradualism and punctuated equilibria, David Penny, 72–74
Chemosystematics, 417–430
Chironomidae, 343–359
Chlorion, 423, 424
  aereus, 420, 422
Choeroniscus, 280, 283
Choeronycteris, 280
Chromosomal and genic divergence in mammals, E. Gus Cothran and Michael H. Smith, 360–368
Chromosomes,
  bats, 279–282
  cricetine rodents, 403–416
  frogs, 109–124
  karyotype evolution, 207–209
  mammals, 360–368
  pocket gopher, 1–20
Ciconiidae, 127
Cladistics, 109–124, 132–143, 144–158, 159–184, 185–201, 248–258, 259–275, 315–342, 403–416, 431–438
Classification, 34–42, 239–247
  cladistic, 109–124, 132–143, 144–158, 159–184, 185–201, 248–258, 259–275, 315–342, 403–416, 431–438
  of fossils, 248–258
  phenetic, 125–131, 144–158, 159–184, 185–201, 248–258, 259–275, 315–342
  phylogenetic, 43–51, 109–124, 132–143, 159–184, 185–201, 248–258, 259–275, 279–282, 283–285
Clines, 1–20, 52–71, 239–247
Clustering,
  hierarchical, 239–247
  statistical, 239–247
  UPGMA, 144–158
  also see Classification
Coleman, William, and Camille Limoges (eds.), Studies in the history of biology, volume 6 (rev.), 473
Colias scudderii, 452
Collection localities, 389–402
Colless, Donald H., see Rohlf, F. James, –
Colletes, 428
Colletidae, 424, 426
Common-part-removed transformation, 125–131
Congruence, 125–131, 144–158, 259–275
Conodonta, 455–459
Consensus trees, 144–158
Consistently high meristic counts in natural hybrids between brook trout and bull trout, Robb F. Leary, Fred W. Allendorf, and Kathy L. Knudson, 369–376
Contact zones and the genetics of differentiation in the pocket gopher *Thomomys bottae* (Rodentia: Geomyidae), John C. Hafner, David J. Hafner, James L. Patton, and Margaret F. Smith, 1–20
Continuous characters, 125–131
Costa Rica, 43–51, 401
Cothran, E. Gus, and Michael H. Smith, Chromosomal and genic divergence in mammals, 360–368
Crawford, Rodney L., Grid systems for recording specimen collection localities in North America, 389–402
Craw, Robin C., Panbiogeography and vicariance cladistics: Are they truly different?, 431–438
Cricotopus, 354
Cryptic species, 43–51
Ctenoplectra, 419
Ctenoplectridae, 419
Curds, C. R., see Roberts, D. McL., –

Darwin, Charles, 72–74, 444–445
Darwin's gradualism, Stephen Jay Gould and Niles Eldredge, 444–445
Decimal geographic grid, 389–402
Desmodus rotundus, 363
Desmond, Adrian, Archetypes and ancestors—Paleontology and Victorian London 1850–1875 (rev.), 310–312
Developmental rate, 369–376
Dialictus zephyrum, 424
Dietz, E. Jacquelin, Permutation tests for association between two distance matrices, 21–26
Diplocladius, 354
Diplosmittia, 354
Dipodomys, 145, 147, 149, 151–155, 360, 361, 365
Distance matrices, 21–26
Distribution mapping, 389–402
Divergence time, 360–368
Dodson, Peter, review by, 310–312
Doithrix, 356
Doncricotopus, 350
Drosophila, 15, 374
Dufourea, 424
  marginata, 420, 421, 423, 425, 426
Dufour's gland, 417–430

Ehrlich, Paul, R., and Dennis D. Murphy, Butterfly nomenclature, stability, and the rule of obligatory categories, 451–453
Ehrlich, Robert, R. Baxter Pharr, Jr., and Nancy Healy-Williams, Comments on the validity of Fourier descriptors in systematics: A reply to Bookstein et al., 202–206
Eldredge, Niles, see Gould, Stephen Jay, and –
Electrophoresis, 132–143, 369–376
  pocket gopher, 1–20
Eleutherodactylus
  angelicus, 109, 110, 114–122
  azueroensis, 109, 110, 115–117, 119–122
  berkenbuschii, 109, 110, 116–122
  biporcatus, 118
  bransfordii, 43–51
  brocchi, 109, 110, 116, 117, 119–122
  costaricensis, 43
  escoces, 109, 110, 114–122
  fitzingeri, 117
  fleischmanni, 109, 110, 114–122
  gollmeri, 118
  jasperi, 109
  matudai, 109, 110
  merendonensis, 109, 116, 117, 119–122
  milesi, 109, 110

mimus, 45
persimilis, 43
podiciferus, 45
polyptychus, 43
punctariolus, 109–111, 114–122
rearki, 43
rugulosus, 109–124
stejnegerianus, 43–51
taurus, 109–111, 114–122
underwoodi, 43
vocalis, 109, 110, 115–117, 119–122
Emberizidae, 127
Entropy, information, and nonequilibrium evolution, Jeffrey S. Wicken, 438–443
Epihippus, 75
Equus, 75
Erebia disa, 452
E[scherichia] coli, 146
Essential properties, 27–33
Estimated cladograms, 159–184, 185–201
Eukiefferiella, 350
sivertseni, 356
Euphydryas, 451
Eurycnemus, 354
Euryhapsis, 354
Evolutionary and systematic significance of temporal variation in the fox sparrow, Robert M. Zink, 223–238
Evolution,
chromosomal, 1–20, 207–209, 360–368, 403–416
genic, 360–368
nonequilibrium, 209–219, 291–300, 438–443
potential, 343–359
systematics, 315–342
Existence, 446–451

Fåhræus, Lars E., Phylum Conodonta Pander, 1856 and nomenclatural priority, 455–459
Farber, Paul Lawrence, The emergence of ornithology as a scientific discipline: 1760–1850 (rev.), 301
Fitch and Smith, 278
Fitch and Smith's conjecture for minimal length trees, on, M. D. Hendy, 276–277
Flaveria, 289
Fossils,
classification, 248–258
Fourier analysis, 377–388
Fourier descriptors, 202–206
Friday, A. E., see Joysey, K. A., and –
Frogs of the *Eleutherodactylus rugulosus* group: A cladistic study of allozyme, morphological, and karyological data, Michael M. Miyamoto, 109–124
Frost, John S., see Hillis, David M., –

Gastrotheca cornuta, 75
G-band, 403–416
Genetic drift, 360–368
Genic evolution, 43–51, 109–124, 360–368
also see Electrophoresis
Genoways, Hugh H., see Mares, Michael A., and –
Geographic,
differentiation, 43–51
grid, 389–402
variation, 223–238
Geomys, 361, 366
bursarius, 12, 365
personatus, 365
tropicalis, 363, 365
Georthocladius, 356
Ghiselin, Michael T., reviews by, 472–473
Giraffa camelopardalis, 33
Globorotalia
hirsuta, 205
truncatulinoides, 203, 205, 206
Glossophaga, 279, 280
soricina, 363
Goodman, Morris (ed.), Macromolecular sequences in systematics and evolutionary biology (rev.), 468–470
Gorilla, 289, 365
Gould, Stephen Jay, and Niles Eldredge, Darwin's gradualism, 444–445
Gradualism, 72–74, 444–445
Grid systems for recording specimen collection localities in North America, Rodney L. Crawford, 389–402
Griffiths, Thomas A., On the phylogeny of the Glossophaginae and the proper use of outgroup analysis, 283–285
Groups, existence and the ordering of nature, on, Ian R. Ball, 446–451
Gruidae, 127
Grus
americana, 29, 32
canadensis, 29, 32

Hafner, David J., see Hafner, John C., –
Hafner, John C., David J. Hafner, James L. Patton, and Margaret F. Smith, Contact zones and the genetics of differentiation in the pocket gopher *Thomomys bottae* (Rodentia: Geomyidae), 1–20
Haiduk, M. W., see Baker, R. J., –
Halictidae, 424
Halictus, 428
Hansell, Roger I. C., see Wong, Jonathan L., and –
Harnischia, 346
Hart, Gene, see Rohlf, F. James, –
Healy-Williams, Nancy, see Ehrlich, Robert, –
Heliconius erato, 452
Hendy, M. D., On Fitch and Smith's conjecture for minimal length trees, 276–277
Hennig Society, Willi, 285–291
Hesperapis, 424, 426
carinata, 420, 421, 423, 425, 427
Heteromyidae, 365
Heterosarus, 427
Heterotrissocladius, 355
Hierarchical clustering, 239–247
Higher taxa, 34–42
Hillis, David M., John S. Frost, and David A. Wright, Phylogeny and biogeography of the *Rana pipiens* complex: A biochemical evaluation, 132–143
Holochilus, 404, 411, 413
brasiliensis, 403, 405, 406, 408–410, 412, 414

Homoplasy, 159–184, 185–201
Homo sapiens, 30, 289
Hoplitis, 146, 147, 149, 152–155
Hordeum, 80
Hull, David L., Thirty-one years of *Systematic Zoology*, 315–342
Humphries, Christopher J., review by, 301–310
Hybridization,
  fish, 369–376
  pocket gopher, 1–20
Hyla regilla, 236
Hylonycteris, 280, 283
Hyperclust: A method for finding significant hierarchical and clinal structure, Jonathan L. Wong and Roger I. C. Hansell, 239–247
Hypomacrotera, 419, 424, 426
  callops, 420, 421, 423, 427
  subalpinus, 420, 421, 423, 427
Hyracotherium, 75

Iris
  setosa, 88
  versicolor, 88
  virginica, 88
Irreversibility: A comment on Macbeth's interpretations, R. F. Laurent, 75

Jensen, Richard J., Report on Sixteenth International Numerical Taxonomy Conference, 83–89
Johnston, Richard F., review by, 301
Joysey, K. A., and A. E. Friday (eds.), Problems of phylogenetic reconstruction (rev.), 301–310
Junco vulcani, 127, 129

Karyotype,
  also see Chromosomes
Karyotypic megaevolution and phylogenetic analysis: New World nectar-feeding bats revisited, Richard M. Warner, 279–282
Kendall's tau, 21–26
Kitts, David B., Can baptism alone save a species?, 27–33
Knudsen, Kathy L., see Leary, Robb F., –
Kohn, Alan J., review by, 465–467
Koop, B. F., see Baker, R. J., –

Lasioglossum, 420–423
  zephyrum, 424, 425
Laurent, R. F., Irreversibility: A comment on Macbeth's interpretations, 75
Lauterborniella, 351
Leary, Robb F., Fred W. Allendorf, and Kathy L. Knudsen, Consistently high meristic counts in natural hybrids between brook trout and bull trout, 369–376
Lepomis, 369
Lepthyphantes tenuis, 398, 399
Leptodactylidae, 109–124
Leptodactylus, 111
Limoges, Camille, see Coleman, William, and –
Lionycteris, 279, 280, 282–284
Lipids, 417–430
Lonchophylla, 279, 280, 282–284
Løvtrup, 209–219
Løvtrup, Søren, Victims of ambition: Comments on the Wiley and Brooks approach to evolution, 90–96
Lysimachia, 424

Macaca
  arctoides, 208
  fascicularis, 208
  mulatta, 208
  sylvanus, 208
Macropis, 424
  nuda, 420, 421, 423, 427, 428
Macrotus, 279, 284
Mandrillus sphinx, 208
Mantel test, 21–26
Mares, Michael A., and Hugh H. Genoways (eds.), Mammalian biology in South America (rev.), 460–463
Marks, Jon, Rates of karyotype evolution, 207–209
McMorris, F. R., and D. A. Neumann, Additional comments on Fitch and Smith's conjecture for minimal length trees, 278
Measurement error, 223–238
Megachile, 418
Megachilidae, 419
Megaevolution, 279–282
Melitta, 424, 426
  americana, 420, 421, 423, 425, 427
  haemorrhodalis, 425
  leporina, 425
Melittidae, 417–430
Melospiza, 127
Menidia, 145, 147, 151–155
Meristics, 369–376
  variation, 52–71
Merychippus, 75
Mesohippus, 75
Methods,
  biogeographic, 389–402
Microevolution, 223–238
Minimal length trees, 276–277, 278
Miohippus, 75
Miyamoto, Michael M., Biochemical variation in the frog *Eleutherodactylus bransfordii*: Geographic patterns and cryptic species, 43–51
Miyamoto, Michael M., Frogs of the *Eleutherodactylus rugulosus* group: A cladistic study of allozyme, morphological, and karyological data, 109–124
Models,
  canalization, 403–416
  cline, 1–20
Mormoopidae, 284
Morphological and allozyme variation in the stichaeid fish *Anoplarchus purpurescens*, Ronald M. Yoshiyama and Clay Sassaman, 52–71
Morphology, 52–71, 109–124
Morphometric analysis of outline shape applied to the peritich genus *Vorticella*, D. McL. Roberts, A. Warren, and C. R. Curds, 377–388
Morphometrics,
  fox sparrow, 223–238

pocket gopher, 1–20
protozoan, 377–388
Moss, W. Wayne, Report on NATO Advanced Study Institute on Numerical Taxonomy, 76–83
Muntiacus
muntjak, 207
reevesi, 207
Murphy, Dennis D., see Ehrlich, Paul R., and –
Musonycteris, 280

Nanocladius, 350, 351
NATO Advanced Study Institute on Numerical Taxonomy, report on, W. Wayne Moss, 76–83
Natural selection, 52–71
Neacomys, 404, 413
guianae, 403, 405, 407–410, 412, 414
Nectomys, 404, 411, 413
squamipes, 403, 405, 406, 408–410, 412, 414
Neotoma, 360, 361, 411
micropus, 404–410, 412, 414
Neumann, D. A., see McMorris, F. R., and –
Noctilionidae, 284
Nomadopsis, 418, 419, 424, 426
helianthi, 420, 421, 423, 427
Nomenclature at the ordinal and higher levels, Denis J. Brothers, 34–42
Nomia, 428
"Nonequilibrium" approach to evolution, comment on a, Fred L. Bookstein, 291–300
Nonequilibrium evolution, 209–219, 291–300, 438–443
Nonequilibrium thermodynamics and evolution: A response to Løvtrup, E. O. Wiley and Daniel R. Brooks, 209–219
Notropis, 369
Novacek, Michael J., review by, 463–465
Numerical taxonomy, 76–83, 159–184, 185–201, 248–258, 315–342
Numerical Taxonomy Conference, 83–89

Obligatory categories,
rule of, 451–453
Onychomys, 413
Ordering of nature, 446–451
Origin of species, 27–33
Orohippus, 75
Orthocladius, 354
Oryzomys, 403–416
alfaroi, 405, 407, 409–411, 414
bicolor, 405, 409, 410, 411
caliginosus, 405, 407–411, 414
capito, 405, 406, 408–414
caudatus, 405, 407, 409, 410, 413
concolor, 405, 407–411, 413, 414
couesi, 405, 407–410, 413, 414
delicatus, 405, 408–411, 413
macconnelli, 414
melanotis, 405, 407–411, 414
palustris, 405, 407–411, 413, 414
Outline shape, 377–388
Oxaeidae, 424, 426

Pan, 289
Panbiogeography and vicariance cladistics: Are they truly different?, Robin C. Craw, 431–438
Pancaldi, Giuliano, Darwin in Italia: Impressa scientifica e frontiere culturali (rev.), 472–473
Panurginus, 428
potentillae, 418
Papilio, 451
multicaudatus, 452
Papilionidae, 145, 147, 152–155
Papio
anubis, 208
cynocephalus, 208
hamadryas, 208
papio, 208
ursinus, 208
Pappogeomys castanops, 12
Parachaetocladius, 356
Paracricotopus, 350
Parallel selection, 343–359
Parametriocnemus, 355
Paraphaenocladius, 355
Parasimulium, 354
Paratrissocladius, 355
Passer domesticus, 224
Passerella, 127
iliaca, 88, 223–238
Patterson, Bruce D., review by, 460–463
Patterson, C. (ed.), Methods of phylogenetic reconstruction (rev.), 301–310
Patton, James L., see Hafner, John C., –
Paulay, Gustav, review by, 465–467
Penny, David, Charles Darwin, gradualism and punctuated equilibria, 72–74
Perdita, 418, 424–426
albipennis, 420, 421, 423, 427
callicerata, 420, 421, 423, 427
coreopsidis, 420, 421, 423, 427
latior, 420, 421, 423, 427
mentzeliae, 420, 421, 423, 427
sphaeralceae, 420, 421, 423, 427
utahensis, 420, 421, 423, 427
Permutation tests for association between two distance matrices, E. Jacquelin Dietz, 21–26
Perognathus, 360, 361, 365
Peromyscus, 360, 361, 404, 411–413
Pharr, R. Baxter, Jr., see Ehrlich, Robert, –
Phenetics, 125–131, 144–158, 159–184, 185–201, 248–258, 259–275, 315–342
Philosophy,
taxonomic, 315–342
Phragmites, 81
Phyllostomidae, 279–282, 283–285, 360, 361
Phyllostomus, 284
Phylogenetic analysis, 43–51, 109–124, 132–143, 159–184, 185–201, 248–258, 259–275, 279–282, 283–285
Phylogenetic analysis of the Caminalcules. I. The data base, a, Robert R. Sokal, 159–184
Phylogenetic analysis of the Caminalcules. II. Estimating the true cladogram, a, Robert R. Sokal, 185–201
Phylogenetic analysis of the Caminalcules. III. Fossils and classification, a, Robert R. Sokal, 248–258

Phylogenetic analysis of the Caminalcules. IV. Congruence and character stability, a, Robert R. Sokal, 259–275
Phylogeny and biogeography of the *Rana pipiens* complex: A biochemical evaluation, David M. Hillis, John S. Frost, and David A. Wright, 132–143
Phylogeny of the Glossophaginae and the proper use of outgroup analysis, on the, Thomas A. Griffiths, 283–285
Phylum Conodonta Pander, 1856 and nomenclatural priority, Lars E. Fåhræus, 455–459
Pieris, 451
Pinus brutia, 81
Platalina, 279, 283, 284
Plhudsonia, 354
Pliohippus, 75
Population structure, 360–368
Preliminary chemosystematics of the Andrenidae and exocrine lipid evolution of the short-tongued bees (Hymenoptera: Apoidea), James H. Cane, 417–430
Prodiamesa, 353
Proechimys, 360, 361
Promelitta, 427
Propsilocerus, 354
Protandrena, 424, 425, 428
  bancroftii, 427
  mexicanorum, 420, 421, 423, 427
  verbesinae, 420, 421, 423, 427
Protanypus, 353
Psectrocladius, 350, 351
Pseudochironomus, 353
Pseudopanurgus, 424–427
  aethiops, 420, 421, 423
Pseudorthocladius, 356
Psilometriocnemus, 355
Punctuated equilibria, 72–74

Quercus, 82

Rana
  areolata, 136–139
  berlandieri, 136–139
  blairi, 136, 138, 139
  brownorum, 138
  capito, 137–139
  chiricahuensis, 133, 136–139
  dunni, 136–138
  forreri, 136, 138
  magnaocularis, 133, 136, 138, 139
  megapoda, 136–139
  montezumae, 136–139
  palustris, 136–139
  pipiens, 132–143
  sphenocephala, 136, 138–140
  tarahumarae, 133, 136, 138
  utricularia, 139
Rates of karyotype evolution, Jon Marks, 207–209
Rattus, 360, 361
Reduction,
  secondary, 343–359
Report of third annual Willi Hennig Society meeting, P. F. Stevens, 285–291
Resolving systematic relationships with G-bands: A study of five genera of South American cricetine rodents, R. J. Baker, B. F. Koop, and M. W. Haiduk, 403–416
Rheocricotopus, 350
Ribes, 225
Roberts, D. McL., A. Warren, C. R. Curds, Morphometric analysis of outline shape applied to the peritrich genus *Vorticella*, 377–388
Rohlf, F. James, Donald H. Colless, and Gene Hart, Taxonomic congruence re-examined, 144–158

Sæther, Ole A., The canalized evolutionary potential: Inconsistencies in phylogenetic reasoning, 343–359
Salix, 225
Salmo gairdneri, 370
Salvelinus
  confluentus, 369–376
  fontinalis, 369–376
  namaycush, 372
Sambucus, 225
Sassaman, Clay, see Yoshiyama, Ronald M., and –
Scomberomorus, 286
Scopus umbretta, 127
Secondary reduction, 343–359
Selection,
  natural, 52–71
  parallel, 343–359
Sigmodon, 404, 411, 413
  hispidus, 403, 405, 409, 410, 412, 414
Simuliidae, 354
Sixteenth International Numerical Taxonomy Conference, report on, Richard J. Jensen, 83–89
Size, 125–131
Slater, James A., review by 470–472
Smith, Hobart M., More on allotypes, 454–455
Smith, Margaret F., see Hafner, John C., –
Smith, Michael H., see Cothran, E. Gus, and –
Sokal, Robert R., A phylogenetic analysis of the Caminalcules. I. The data base, 159–184
Sokal, Robert R., A phylogenetic analysis of the Caminalcules. II. Estimating the true cladogram, 185–201
Sokal, Robert R., A phylogenetic analysis of the Caminalcules. III. Fossils and classification, 248–258
Sokal, Robert R., A phylogenetic analysis of the Caminalcules. IV. Congruence and character stability, 259–275
Solem, A., Endodontoid land snails from Pacific islands (Mollusca: Pulmonata: Sigmurethra). Part II. Families Punctidae and Charopidae, zoogeography (rev.), 465–467
South America, 403–416, 461–464
Sparrows, 223–238
Spearman's rho, 21–26
Species names, 27–33
Specimen locality recording, 389–402
Stability, 451–453
Statistical clustering, 239–247
Stenella attenuata, 86

Stevens, P. F., Report of third annual Willi Hennig Society meeting, 285–291
Stichaeidae, 52–71
Stictocladius, 354
Stratophenetics, 248–258
Symphalangus, 365
Synapomorphy, 343–359, 403–416
Systematic Zoology, thirty-one years of, David L. Hull, 315–342

Taxonomic congruence re-examined, F. James Rohlf, Donald H. Colless, and Gene Hart, 144–158
Taxonomic philosophy, 315–342
Taxonomic stability, 259–275
Temporal variation, 223–238
Thomomys, 365
  bottae, 1–20, 236
  talpoides, 12, 360, 361
  umbrinus, 1, 17
Thyropteridae, 284
Tokunagayusurika, 354
Toxorhynchites, 81
Transformation series analysis, 43–51, 109–124
Trout,
  brook, 369–376
  bull, 369–376
Tvetenia, 355

Underlying synapomorphy, 343–359
Universal Transverse Mercator Grid, 389–402
Uzzell, Thomas, review by, 468–470

Validity of Fourier discriptors in systematics: A reply to Bookstein et al., comments on the, Robert Ehrlich, R. Baxter Pharr, Jr., and Nancy Healy-Williams, 202–206
Variation,
  geographic, 223–238
  temporal, 223–238
Victims of ambition: Comments on the Wiley and Brooks approach to evolution, Søren Løvtrup, 90–96
Vorticella, 377–388
  aequilata, 377
  alpestris, 377, 378
  anomala, 377
  campanula, 377
  citrina, 377
  constricta, 377
  dipneumon, 377
  dudekemi, 377
  eforiana, 377
  elongata, 377
  globularia, 377
  longitricha, 377
  macroscopica, 377
  macrostyla, 377
  margaritata, 377
  marginata, 377
  microstoma, 378
  obconica, 377
  opercullariformis, 378
  patellina, 377
  pelagica, 377, 378
  pulchella, 377
  sepulcreti, 377
  sphaerica, 377
  striata, 377
  subconica, 377
  utriculus, 377
  variabilis, 377, 383

Wagner analysis, 109–124, 144–158, 159–184, 185–201, 259–275
Warner, Richard M., Karyotypic megaevolution and phylogenic analysis: New World nectar-feeding bats revisited, 279–282
Warren, A., see Roberts, D. McL., –
Wicken, Jeffrey S., Entropy, information, and nonequilibrium evolution, 438–443
Wiley, E. O., and Daniel R. Brooks, Nonequilibrium thermodynamics and evolution: A response to Løvtrup, 209–219
Wong, Jonathan L., and Roger I. C. Hansell, Hyperclust: A method for finding significant hierarchical and clinal structure, 239–247
Wood, D. Scott, Character transformations in phenetic studies using continuous morphometric variables, 125–131
Wright, David A., see Hillis, David M., –

Xenochironomus, 346
Xylocopa virginica, 418
Xylotopus, 354

Yoshiyama, Ronald M., and Clay Sassaman, Morphological and allozymic variation in the stichaeid fish *Anoplarchus purpurescens*, 52–71

Zalutschia, 346
Zink, Robert M., Evolutionary and systematic significance of temporal variation in the fox sparrow, 223–238
Zonotrichia, 127